GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services - Certain allegations against Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality irregularities in Gudivada Municipal area and detected 153 illegal tap connections and Water charges in Gudivada Municipality – Enquiry Conducted - Further action dropped - Orders - Issued.

---

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 407 Dated: 08-06-2017

Read the following:-

1) From the G.A (V&E) Department Appraisal Note No. No.87(C.No.463/V&E/D1/2002-2) Dt.23.07.2003.
2) GO.Rt.No.1604, MA & UD (E2) Dept, Dt:01.12.2003
3) GO.Rt.No.765, MA & UD (E2) Dept, Dt:05.07.2006
4) Govt. Memo No.14348/E3/2003-13, dt. 25.08.2006
5) From E.O & S.E (PH), Lr.No.3169/E1/ 2012, Dated: 16.02.2015
6) Govt. Memo No.14348/E3/2003-13, dt. 10.11.2015
7) Written Explanation of Sri P.Adi Seshu, SE, VMC, Dated:13.01.2016

****

O R D E R:

Whereas, the G.A (V&E) Department vide reference 1st read above, have enquired into the allegations of irregularities in Gudivada Municipal area and detected 153 illegal tap connections resulting in a loss of Rs.7.56 lakhs towards Water charges to Gudivada Municipality against Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality and others.

2. In the reference 2nd read above, Government have initiated the disciplinary action and issued charges against Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality on the above said irregularities based on the recommendations of GA (V&E) Dept.

3. Whereas, the Government after examining the Written Statement of Defense submitted by the said Charged Officer, have appointed Sri G.Yohan, S.E (PH), as Inquiry Officer, vide reference 3rd read above, to inquire into the charges.

4. Whereas, in the reference 5th read above, the Enquiry Report was received by the Government, wherein the Enquiry Officer held that the charges are not sustained against Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality.

5. Government have communicated the findings of Inquiry Authority to charged officers in terms of Rule-21(2) of APCS Rules, 1991 to submit his written representation within stipulated time vide reference 6th read above. Accordingly, charged officer has submitted his written representations on the findings of the Inquiry Authority and requested to drop further action against him and exonerate him from charges, as all charges are held not proved during the enquiry vide reference 7th read above.

6. Government after careful examination the matter hereby drop further action against Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality presently working as Superintending Engineer, Vijayawada Municipal Corporation, and exonerate him from the charges, as the charges are not sustained against him.

7. The Engineer-In-Chief(PH), Guntur is requested to take further necessary action accordingly.

( BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**R. KARIKAL VALAVEN**
**PRINCIPAL SECRETARY TO GOVERNMENT**

To
Sri P. Adiseshu, the then Municipal Engineer, Gudivada Municipality
**through ENC(PH), Tadepalli, Guntur**.
The Engineer-In-Chief (PH), Tadepalli, Guntur.

**(PTO)**

**Copy to:-**
The Secretary to VC, APVC.
The General Administration(V&E) Department, Vijayawada.
Sc/Sf.

// FORWARDED BY :: ORDER //

SECTION OFFICER